

Disasters on Earth Observations from Space Systems on the Cloud

Sang-Ho Yun¹, Susan Owen¹, Hook Hua¹, Cunren Liang², Jungkyo Jung¹, Piyush Agram¹, Frank Webb¹, Mark Simons^{1,2}, Paul Rosen¹, Gerald Manipon¹, Lan Dang¹, Eric Fielding¹, Eric Gurrola¹, Gian Franco Sacco¹, Justin Linick¹, Namrata Malarout¹

- 1. Jet Propulsion Laboratory, California Institute of Technology
- 2. California Institute of Technology

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not constitute or imply its endorsement by the United States Government or the Jet Propulsion Laboratory, California Institute of Technology.



Automated Data Collection

& Processing



Integrating **Space Geodesy** Seismology **Modeling**



Examples from the 2011 M9.0 Tohoku-Oki (Japan) earthquake

Radar **Sensors**


GPS Networks

Seismic **Networks**

Optical Sensors



Radar






Monitoring & **Near Real-Time Assessment**




Building Damage

& Inundation



Anne Rosinski Calif. Geol. Survey



High-Resolution Hazard Assessment from Fault Models




























"We have high hopes for ARIA."

Keiko Saito World Bank


Slowdown

of Tropical-Cyclone Translation Speed



Speed decreased during 1949-2016:

- Globally by 10%
- North Atlantic by 20%
- Western North Pacific by 30%







2017 Hurricane Harvey

- Category 4 at landfall
- 60" (152 cm) rainfall




























https://photojournal.jpl.nasa.gov/catalog/pia21931



https://photojournal.jpl.nasa.gov/catalog/pia21932


Amatrice Earthquake (M6.2 Aug 24, 2016), Italy
















https://www.nasa.gov/feature/jpl/nasa-produced-maps-help-gauge-italy-earthquake-damage




https://www.nasa.gov/feature/jpl/nasa-produced-damage-maps-may-aid-mexico-quake-response



DPM vs Ground Observation (M7.1 Mexico City Earthquake)







After

DPM







DPM Before

After

"We estimated that Louisiana would have about 27,000 damaged homes, but it was through the acquisition of <u>SAR data</u> and other remotely sensed data that we were able to see that it was a much larger impact than we had forecast."

Glenn Russell, FEMA After the August 2016 Louisiana Floods

"It is so fascinating to see this map. The pattern of the distribution of red areas correlate with most realities on the ground."

Indra Sharan, OFDA, USAID From Nepal after the M7.8 2015 Gorkha Earthquake


"During our reconnaissance missions we have used damage proxy maps (DPMs). ... My findings clearly show that the <u>DPM published right after the event was very effective in defining collapsed buildings."</u>

Paolo Zimmaro, UCLA/GEER After GEER fieldwork of the 2016 Central Italy earthquakes

"After the tragic August earthquake in Amatrice, Italy, NASA's JPL produced maps of the greatest damage. These sophisticated maps will be used in the rebuilding efforts."

Barack Obama, Former President of the US At the White House with Mateo Renzi on Oct 28, 2016








International SAR Satellites Overpass Latency

Current missions: 6 hours

S1 & CSK & A2: 10 hours

S1 & CSK: 12 hours

S1: 30 hours





Summary, Challenges, and Opportunities

The ARIA systems is being automated for rapid disaster response. ARIA's FPMs and DPMs that are being used by responding agencies around the world.

FPM2 and DPM2 algorithms are being developed using PolInSAR time series analysis.

SAR data download is the biggest bottleneck

→ Discussing with EOS and Amazon Singapore for Sentinel-1 SAR data ingestion



